

Modules [+ Install new module](#)

List Update Uninstall

Core

Activity

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Activity	7.x-1.x-dev	Log Activity across the site. Requires: Trigger (enabled) Required by: Activity comments (disabled)	Permissions
<input type="checkbox"/>	Activity comments	7.x-1.x-dev	Allow users to comment on activities Requires: Activity (enabled) , Trigger (enabled)	

Administration

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Administration Development tools	7.x-3.0-rc1	Administration and debugging functionality for developers and site builders.	
<input checked="" type="checkbox"/>	Administration menu	7.x-3.0-rc1	Provides a dropdown menu to most administrative tasks and other common destinations (to users with the proper permissions). Required by: Administration menu Toolbar style (disabled)	Help Permissions Configure
<input type="checkbox"/>	Administration menu Toolbar style	7.x-3.0-rc1	A better Toolbar. Requires: Administration menu (enabled)	
<input type="checkbox"/>	Administration views	7.x-3.0-rc1	Replaces all system object management pages in Drupal core with real views. Requires: Views (enabled) , Chaos tools (enabled) , Views_bulk_operations (missing)	
<input checked="" type="checkbox"/>	Front Page	7.x-2.1	Allows site admins setup custom front pages for the site.	Permissions Configure

Chaos tool suite

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Bulk Export	7.x-1.0-rc2	Performs bulk exporting of data objects known about by Chaos tools. Requires: Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Chaos tools	7.x-1.0-rc2	A library of helpful tools by Merin of Chaos. Required by: Views (enabled) , Administration views (disabled) , Better Exposed Filters (enabled) , Bulk Export (disabled) , Custom rulesets (disabled) , Chaos Tools (CTools) AJAX Example (disabled) , Custom content panes (enabled) , Panels (enabled) , Page manager (enabled) , Chaos Tools (CTools) Plugin Example (disabled) , Facet API (enabled) , Current Search Blocks (enabled) , Display suite (enabled) , Extras (enabled) , Forms (enabled) , Search display (disabled) , Features Tests (disabled) , Fieldgroup (enabled) , File entity (enabled) , Media (enabled) , Media Gallery (disabled) , Media Internet Sources (disabled) , Panels In-Place Editor (enabled) , Mini panels (enabled) , Panel nodes (enabled) , Piecemaker Blocks (enabled) , Printing calculator 2 (disabled) , Search facets (disabled) , Search views (disabled) , Faceted Navigation for Search (disabled) , Stylizer (disabled) , Views content panes (enabled) , Views Nivo Slider (enabled) , Views PHP (enabled) , Views UI (enabled)	
<input type="checkbox"/>	Chaos Tools (CTools) AJAX Example	7.x-1.0-rc2	Shows how to use the power of Chaos AJAX. Requires: Chaos tools (enabled)	
<input type="checkbox"/>	Chaos Tools	7.x-1.0-rc2	Shows how an external module can provide ctools plugins (for Panels, etc.).	

Save configuration

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Custom content panes	7.x-1.0-rc2	Create custom, exportable, reusable content panes for applications like Panels. Requires: Chaos tools (enabled)	Permissions
<input type="checkbox"/>	Custom rulesets	7.x-1.0-rc2	Create custom, exportable, reusable access rulesets for applications like Panels. Requires: Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Page manager	7.x-1.0-rc2	Provides a UI and API to manage pages within the site. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled)	Permissions
<input type="checkbox"/>	Stylizer	7.x-1.0-rc2	Create custom styles for applications such as Panels. Requires: Chaos tools (enabled) , Color (enabled)	
<input checked="" type="checkbox"/>	Views	7.x-1.0-rc2	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Requires: Chaos tools (enabled) , Views (enabled)	

Development

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Devel	7.x-1.2	Various blocks, pages, and functions for developers. Required by: Devel generate (disabled), Theme developer (disabled)	Permissions Configure
<input type="checkbox"/>	Devel generate	7.x-1.2	Generate dummy users, nodes, and taxonomy terms. Requires: Devel (enabled)	
<input type="checkbox"/>	Devel node access	7.x-1.2	Developer blocks and page illustrating relevant node_access records. Requires: Menu (enabled)	
<input type="checkbox"/>	Theme developer	7.x-1.x-dev	Essential theme API information for theme developers Requires: Devel (enabled)	

Display suite

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Display suite	7.x-1.5	Extend the display options for every entity type. Requires: Chaos tools (enabled) Required by: Extras (enabled), Forms (enabled), Search display (disabled)	Permissions Configure
<input checked="" type="checkbox"/>	Extras	7.x-1.5	Contains additional features. Requires: Display suite (enabled), Chaos tools (enabled)	Configure
<input checked="" type="checkbox"/>	Forms	7.x-1.5	Manage the layout of forms. Requires: Display suite (enabled), Chaos tools (enabled)	
<input type="checkbox"/>	Search display	7.x-1.5	Extend the display options for search results for Drupal Core or Apache Solr. Requires: Display suite (enabled), Chaos tools (enabled)	

Features

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Features	7.x-1.0-rc1	Provides feature management for Drupal. Required by: Features Tests (disabled), Node export features (disabled), Printing calculator 2 (disabled)	Help Permissions
<input type="checkbox"/>	Printing	test	test Requires: Features (enabled), Chaos tools (enabled), Entity API (enabled), Field SQL storage (enabled), Chaos tools (enabled), Taxonomy (enabled), Translation sets (enabled), List (enabled)	
<input type="checkbox"/>	UUID Services Example	7.x-1.0-alpha3	Example feature of a UUID service. Works well with the Deploy Example feature as a client. Requires: Rest_server (missing), Services (missing), Universally Unique ID (disabled), UUID Services (disabled), Entity API (enabled)	

Fields

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Fieldgroup	7.x-1.1	Fieldgroup Requires: Field (enabled), Field SQL storage (enabled), Chaos tools (enabled) Required by: Printing calculator 2 (disabled)	Permissions
<input checked="" type="checkbox"/>	File (Field) Paths	7.x-1.0-beta3	Adds improved Token based file sorting and renaming functionalities. Requires: Token (enabled)	
<input checked="" type="checkbox"/>	Link	7.x-1.0	Defines simple link field types. Required by: Drupal (Field type(s) in use - see Field list)	

Mail

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Simplenews	7.x-1.0-beta2	Send newsletters to subscribed email addresses. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled) Required by: Simplenews rules (disabled)	Help Permissions Configure
<input type="checkbox"/>	Simplenews rules	7.x-1.0-beta2	Provides integration with Rules module for Simplenews. Requires: Simplenews (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Rules (missing)	

Media

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	File entity	7.x-1.0	Extends Drupal file entities to be fieldable and viewable. Requires: Field (enabled), Field SQL storage (enabled), Chaos tools (enabled) Required by: Media (enabled), Media Gallery (disabled), Media Internet Sources (disabled), Piecemaker Blocks (enabled)	
<input checked="" type="checkbox"/>	IMCE	7.x-1.5	An image/file uploader and browser supporting personal directories and user quota.	Permissions Configure

<input checked="" type="checkbox"/>	Media	7.x-1.0	Provides the core Media API Requires: File entity (enabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled) Required by: Media Gallery (disabled), Media Internet Sources (disabled), Piecemaker Blocks (enabled)	Help Permissions
<input type="checkbox"/>	Media Gallery	7.x-1.0-beta3	A flexible gallery of media. Requires: List (enabled), Field (enabled), Field SQL storage (enabled), Options (enabled), Number (enabled), Media (enabled), File entity (enabled), Chaos tools (enabled), Image (enabled), File (enabled), Taxonomy (enabled), Multiple forms (disabled)	
<input type="checkbox"/>	Media Internet Sources	7.x-1.0	Provides an API for accessing media on various Internet services Requires: Media (enabled), File entity (enabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled)	

Meta tags (quick)

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Extra functionality	7.x-2.4	Automatic settings for meta tags (quick) Requires: Meta tags (quick) (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	
<input checked="" type="checkbox"/>	Meta tags (quick)	7.x-2.4	Meta tags support build using FieldAPI/EntityAPI Required by: Drupal (Field type(s) in use - see Field list), Extra functionality (disabled), Upgrade from nodewords (disabled)	Permissions

Multilingual

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Language switcher dropdown	7.x-1.2	Provides a dropdown select to switch between available languages. Requires: Locale (enabled)	

Multilingual

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Language Switcher	7.x-1.0-beta2	Determines which content to show depending on the current page language and the default language of the site Requires: Locale (enabled)	Permissions Configure
<input type="checkbox"/>	Localization client	7.x-1.0	Provides on-page localization Requires: Locale (enabled)	
<input checked="" type="checkbox"/>	Localization update	7.x-1.0-beta3	Provides automatic downloads and updates for translations. Requires: Locale (enabled)	

Multilingual - Internationalization

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Block languages	7.x-1.4	Enables language selector for blocks and optional block translation. Requires: Block (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled) Required by: Menu translation (enabled)	Help
<input checked="" type="checkbox"/>	Contact translation	7.x-1.4	Makes contact categories and replies available for translation. Requires: Contact (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	Field translation	7.x-1.4	Translate field properties Requires: Field (enabled), Field SQL storage (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	Internationalization	7.x-1.4	Extends Drupal support for multilingual features. Requires: Locale (enabled), Variable (enabled) Required by: String translation (enabled), Block languages (enabled), Contact translation (enabled), Field translation (enabled), Translation sets (enabled), Taxonomy translation (enabled), Multilingual content (enabled), Multilingual forum (enabled), Menu translation (enabled), Path translation (enabled), Translation redirect (enabled), Multilingual select (enabled), Synchronize translations (enabled), Variable translation (enabled), Printing calculator 2 (disabled), XML sitemap internationalization (enabled)	Help Configure
<input checked="" type="checkbox"/>	Menu translation	7.x-1.4	Supports translatable custom menu items. Requires: Internationalization (enabled), Locale (enabled), Variable (enabled), Menu (enabled), Block languages (enabled), Block (enabled), String translation (enabled), Translation sets (enabled)	Help
<input checked="" type="checkbox"/>	Multilingual content	7.x-1.4	Extended node options for multilingual content Requires: Content translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled), String translation (enabled) Required by: Multilingual forum (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Multilingual forum	7.x-1.4	Enables multilingual forum, translates names and containers. Requires: Forum (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), Comment (enabled), Text (enabled), Taxonomy translation (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled), Translation sets (enabled), Multilingual content (enabled), Content translation (enabled)	
<input checked="" type="checkbox"/>	Multilingual select	7.x-1.4	API module for multilingual content selection Requires: Internationalization (enabled), Locale (enabled), Variable (enabled)	Configure
<input checked="" type="checkbox"/>	Path translation	7.x-1.4	Define translations for generic paths Requires: Translation sets (enabled), Internationalization (enabled), Locale (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	String translation	7.x-1.4	Provides support for translation of user defined strings. Requires: Locale (enabled), Internationalization (enabled), Variable (enabled) Required by: Block languages (enabled), Contact translation (enabled), Field translation (enabled), Taxonomy translation (enabled),	Help Configure

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Taxonomy translation	7.x-1.4	Enables multilingual taxonomy. Requires: Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled), String translation (enabled), Locale (enabled), Internationalization (enabled), Variable (enabled), Translation sets (enabled) Required by: Multilingual forum (enabled), Printing calculator 2 (disabled)	Help
<input checked="" type="checkbox"/>	Translation redirect	7.x-1.4	Redirect to translated page when available. SEO for multilingual sites. Requires: Internationalization (enabled), Locale (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	Translation sets	7.x-1.4	Simple translation sets API for generic objects Requires: Internationalization (enabled), Locale (enabled), Variable (enabled) Required by: Taxonomy translation (enabled), Multilingual forum (enabled), Menu translation (enabled), Path translation (enabled), Printing calculator 2 (disabled)	
<input checked="" type="checkbox"/>	Variable translation	7.x-1.4	Multilingual variables that switch language depending on page language. Requires: Internationalization (enabled), Locale (enabled), Variable (enabled), Variable store (enabled), Variable realm (enabled)	Configure

Node export

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Node export	7.x-3.0-rc1	Allows users to export a node and the import into another Drupal installation. Required by: Node export CSV (disabled), Node export features (disabled), Node export feeds (disabled), Node export files (disabled), Node export relation (disabled), Node export serialize (disabled), Node export XML (disabled)	
<input type="checkbox"/>	Node export CSV	7.x-3.0-rc1	Adds CSV format to Node export Requires: Node export (disabled)	
<input type="checkbox"/>	Node export features	7.x-3.0-rc1	Adds features support to Node export Requires: Node export (disabled), Universally Unique ID (disabled), Features (enabled)	
<input type="checkbox"/>	Node export feeds	7.x-3.0-rc1	Node export feeds importer. This is a much more advanced importer than the one built into node export. Requires: Feeds (missing), Node export (disabled)	
<input type="checkbox"/>	Node export files	7.x-3.0-rc1	Export helper module for handling files (CCK FileField, Upload, and Image). Requires: Node export (disabled)	
<input type="checkbox"/>	Node export relation	7.x-3.0-rc1	Helps maintain relationships. Supports node references, taxonomy, and organic groups. Requires: Node export (disabled), Universally Unique ID (disabled)	
<input type="checkbox"/>	Node export serialize	7.x-3.0-rc1	Adds serialize format to Node export Requires: Node export (disabled)	
<input type="checkbox"/>	Node export XML	7.x-3.0-rc1	Adds XML format to Node export Requires: Node export (disabled)	

Other

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Arrange Fields	7.x-1.5	Drag and drop form fields into any position.	
<input checked="" type="checkbox"/>	Backup and Migrate	7.x-2.2	Backup or migrate the Drupal Database quickly and without unnecessary data.	Help Permissions
<input checked="" type="checkbox"/>	Block Class	7.x-1.1	Allows assigning CSS classes to blocks.	
<input checked="" type="checkbox"/>	Entity API	7.x-1.0-rc1	Enables modules to work with any entity type and to provide entities. Required by: Entity tokens (disabled), Search API (disabled), Database search (disabled), Search facets (disabled), Old search facets (deprecated) (disabled), Search pages (disabled), Search views (disabled), UUID Services (disabled), UUID Services Example (disabled) Requires: Entity reference (disabled), Entity reference 2 (disabled), Entity reference 3 (disabled), Entity reference 4 (disabled), Entity reference 5 (disabled), Entity reference 6 (disabled), Entity reference 7 (disabled), Entity reference 8 (disabled), Entity reference 9 (disabled), Entity reference 10 (disabled), Entity reference 11 (disabled), Entity reference 12 (disabled), Entity reference 13 (disabled), Entity reference 14 (disabled), Entity reference 15 (disabled), Entity reference 16 (disabled), Entity reference 17 (disabled), Entity reference 18 (disabled), Entity reference 19 (disabled), Entity reference 20 (disabled), Entity reference 21 (disabled), Entity reference 22 (disabled), Entity reference 23 (disabled), Entity reference 24 (disabled), Entity reference 25 (disabled), Entity reference 26 (disabled), Entity reference 27 (disabled), Entity reference 28 (disabled), Entity reference 29 (disabled), Entity reference 30 (disabled), Entity reference 31 (disabled), Entity reference 32 (disabled), Entity reference 33 (disabled), Entity reference 34 (disabled), Entity reference 35 (disabled), Entity reference 36 (disabled), Entity reference 37 (disabled), Entity reference 38 (disabled), Entity reference 39 (disabled), Entity reference 40 (disabled), Entity reference 41 (disabled), Entity reference 42 (disabled), Entity reference 43 (disabled), Entity reference 44 (disabled), Entity reference 45 (disabled), Entity reference 46 (disabled), Entity reference 47 (disabled), Entity reference 48 (disabled), Entity reference 49 (disabled), Entity reference 50 (disabled), Entity reference 51 (disabled), Entity reference 52 (disabled), Entity reference 53 (disabled), Entity reference 54 (disabled), Entity reference 55 (disabled), Entity reference 56 (disabled), Entity reference 57 (disabled), Entity reference 58 (disabled), Entity reference 59 (disabled), Entity reference 60 (disabled), Entity reference 61 (disabled), Entity reference 62 (disabled), Entity reference 63 (disabled), Entity reference 64 (disabled), Entity reference 65 (disabled), Entity reference 66 (disabled), Entity reference 67 (disabled), Entity reference 68 (disabled), Entity reference 69 (disabled), Entity reference 70 (disabled), Entity reference 71 (disabled), Entity reference 72 (disabled), Entity reference 73 (disabled), Entity reference 74 (disabled), Entity reference 75 (disabled), Entity reference 76 (disabled), Entity reference 77 (disabled), Entity reference 78 (disabled), Entity reference 79 (disabled), Entity reference 80 (disabled), Entity reference 81 (disabled), Entity reference 82 (disabled), Entity reference 83 (disabled), Entity reference 84 (disabled), Entity reference 85 (disabled), Entity reference 86 (disabled), Entity reference 87 (disabled), Entity reference 88 (disabled), Entity reference 89 (disabled), Entity reference 90 (disabled), Entity reference 91 (disabled), Entity reference 92 (disabled), Entity reference 93 (disabled), Entity reference 94 (disabled), Entity reference 95 (disabled), Entity reference 96 (disabled), Entity reference 97 (disabled), Entity reference 98 (disabled), Entity reference 99 (disabled), Entity reference 100 (disabled)	

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Global Redirect	7.x-1.3	Searches for an alias of the current URL and 301 redirects if found. Stops duplicate content arising when path module is enabled. Requires: Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Libraries (enabled)	
<input checked="" type="checkbox"/>	Libraries	7.x-1.0	Allows version dependent and shared usage of external libraries. Required by: Field Slideshow (enabled), Piecemaker (enabled), Piecemaker Blocks (enabled), Superfish (enabled)	
<input checked="" type="checkbox"/>	Login Destination	7.x-1.0	Customize the destination that the user is redirected to after login.	Help Configure
<input type="checkbox"/>	Menu Clone	7.x-1.x-dev	Allows to clone a menu and all of its items. Requires: Menu (enabled)	
<input checked="" type="checkbox"/>	Mollom	7.x-1.1	Automatically moderates user-submitted content and protects your site from spam and profanity.	Help Permissions Configure
<input type="checkbox"/>	Multiple forms	7.x-1.0-beta1	Allows displaying and submitting multiple forms in one form Required by: Media Gallery (disabled)	
<input checked="" type="checkbox"/>	Node clone	7.x-1.0-beta1	Allows users to clone (copy then edit) an existing node.	Help Permissions
<input checked="" type="checkbox"/>	Pathauto	7.x-1.0	Provides a mechanism for modules to automatically generate aliases for the content they manage. Requires: Path (enabled), Token (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	robots.txt	7.x-1.0	Generates the robots.txt file dynamically and gives you the chance to edit it, on a per-site basis, from the web UI.	Help Permissions Configure

<input checked="" type="checkbox"/>	Scheduler	7.x-1.0	This module allows nodes to be published and unpublished on specified dates and time.	Help Permissions Configure
<input checked="" type="checkbox"/>	Search 404	7.x-1.1	Automatically search for the keywords in URLs that result in 404 errors and show results instead of Page-Not-Found. Requires: Search (enabled)	Configure
<input checked="" type="checkbox"/>	Site map	7.x-1.0	Display a site map.	Permissions Configure
<input checked="" type="checkbox"/>	Token	7.x-1.0-rc1	Provides a user interface for the Token API and some missing core tokens. Required by: File (Field) Paths (enabled), Page Title (enabled), Pathauto (enabled)	Help
<input checked="" type="checkbox"/>	Transliteration	7.x-3.0	Converts non-latin text to US-ASCII and sanitizes file names.	
<input checked="" type="checkbox"/>	Variable	7.x-1.1	Variable Information and basic variable API Required by: Internationalization (enabled), String translation (enabled), Block languages (enabled), Contact translation (enabled), Field translation (enabled), Translation sets (enabled), Taxonomy translation (enabled), Multilingual content (enabled), Multilingual forum (enabled), Menu translation (enabled), Path translation (enabled), Translation redirect (enabled), Multilingual select (enabled), Synchronize translations (enabled), Variable realm (enabled), Variable store (enabled), Variable translation (enabled), Printing calculator 2 (disabled), Variable admin (disabled), Variable advanced (disabled), XML sitemap internationalization (enabled)	
<input type="checkbox"/>	Variable admin	7.x-1.1	Variable Administration UI Requires: Variable (enabled)	
<input type="checkbox"/>	Variable advanced	7.x-1.1	Provides access to advanced low level variables. By using this you will be able to break your site badly. Requires: Variable (enabled)	
<input checked="" type="checkbox"/>	Variable realm	7.x-1.1	API to use variable realms from different modules Requires: Variable (enabled) Required by: Variable store (enabled), Variable translation (enabled)	
<input checked="" type="checkbox"/>	Variable store	7.x-1.1	Database storage for variable realms. This is an API module. Requires: Variable realm (enabled), Variable (enabled) Required by: Variable translation (enabled)	

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Mini panels	7.x-3.2	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Requires: Panels (enabled), Chaos tools (enabled)	Permissions
<input checked="" type="checkbox"/>	Panel nodes	7.x-3.2	Create nodes that are divided into areas with selectable content.	Permissions Configure

<input checked="" type="checkbox"/>	Panels	7.x-3.2	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Requires: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), Panels In-Place Editor (enabled), Mini panels (enabled), Panel nodes (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Panels In-Place Editor	7.x-3.2	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Requires: Panels (enabled), Chaos tools (enabled)	Configure

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	No Request New Pass	7.x-1.2	Disable link to request a new password	Permissions Configure

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	View Unpublished	7.x-1.0	Select which roles should be able to see unpublished all unpublished nodes.	Permissions

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Piecemaker	7.x-1.0	A general API for utilizing the Piecemaker 3d Flash Rotator Requires: Libraries (enabled) Required by: Piecemaker Blocks (enabled)	
<input checked="" type="checkbox"/>	Piecemaker Blocks	7.x-1.0	Provides Piecemaker blocks. Requires: Piecemaker (enabled), Libraries (enabled), Media (enabled), File entity (enabled), Field (enabled), Field SQL storage (enabled), Chaos tools (enabled), Image (enabled), File (enabled)	

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	PDF version	7.x-1.0-beta2	Adds the capability to export pages as PDF. Requires: Printer-friendly pages (enabled)	Permissions Configure
<input checked="" type="checkbox"/>	Printer-friendly pages	7.x-1.0-beta2	Adds a printer-friendly version link to content and administrative pages. Required by: Send by e-mail (enabled), PDF version (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Send by e-mail	7.x-1.0-beta2	Provides the capability to send the web page by e-mail. Requires: Printer-friendly pages (enabled)	Permissions Configure

Requires: Printer-friendly pages (enabled)

Search

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Database search	7.x-1.0-beta2	Offers an implementation of the Search API that uses database tables for indexing content. Requires: Search API (disabled), Entity API (enabled)	
<input type="checkbox"/>	Old search facets (deprecated)	7.x-1.0	Use the new 'Search facets' module integrating with the Facet API instead. Requires: Search API (disabled), Entity API (enabled), Block (enabled)	
<input checked="" type="checkbox"/>	Porter Stemmer	7.x-1.0	Improves American English language searching by simplifying related words to their root (conjugations, plurals, ...).	Help
<input type="checkbox"/>	Search API	7.x-1.0	Provides a generic API for modules offering search capabilities. Requires: Entity API (enabled) Required by: Database search (disabled), Search facets (disabled), Old search facets (deprecated) (disabled), Search pages (disabled), Search	

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Search pages	7.x-1.0-beta2	Create search pages using Search API indexes. Requires: Search API (disabled), Entity API (enabled)	
<input type="checkbox"/>	Search views	7.x-1.0	Integrates the Search API with Views, enabling users to create views with searches as filters or arguments. Requires: Search API (disabled), Entity API (enabled), Views (enabled), Chaos tools (enabled)	

Search Toolkit

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Current Search Blocks	7.x-1.0-rc4	Provides an interface for creating blocks containing information about the current search. Requires: Facet API (enabled), Chaos tools (enabled)	Configure
<input checked="" type="checkbox"/>	Facet API	7.x-1.0-rc4	An abstracted facet API that can be used by various search backends. Requires: Chaos tools (enabled) Required by: Current Search Blocks (enabled), Search facets (disabled), Faceted Navigation for Search (disabled)	Permissions
<input type="checkbox"/>	Faceted Navigation for Search	7.x-1.0-beta1	Integrates the core Search module with the Facet API project. Requires: Facet API (enabled), Chaos tools (enabled)	

SEO

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Page Title	7.x-2.5	Enhanced control over the page title (in the <head> tag). Requires: Token (enabled)	Help Permissions Configure

Services - resources

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	UUID Services	7.x-1.0-alpha3	Provides integration with the Services module, like exposing a UUID entity resource. Requires: Services (missing), Universally Unique ID (disabled), Entity API (enabled) Required by: UUID Services Example (disabled)	

Statistics

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Google Analytics	7.x-1.2	Allows your site to be tracked by Google Analytics by adding a Javascript tracking code to every page.	Permissions Configure

Testing

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Features Tests	7.x-1.0-rc1	Test module for Features testing. Requires: Features (enabled), Image (enabled), File (enabled), Field (enabled), Field SQL storage (enabled), Strongarm (missing), Views (enabled), Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Testing	7.x-2.0	Provides a framework for unit and functional testing. Requires: Testing API Monitor (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Testing API Monitor	7.x-2.0	Ensure that 2.x style tests are removed when core API is being used. Required by: Testing (enabled)	

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	CKEditor	7.x-1.8	Enables CKEditor (WYSIWYG HTML editor) for use instead of plain text fields.	Help Permissions Configure

<input checked="" type="checkbox"/>	eFinder	7.x-0.7	AJAX file manager with Wysiwyg API capable editors support. Required by: eFinder BUEditor integration (disabled), eFinder File Field Source (disabled)	Permissions	Configure
<input type="checkbox"/>	eFinder BUEditor integration	7.x-0.7	Adding eFinder to BUEditor Insert Image dialog Requires: Bueditor (missing), eFinder (enabled)		
<input type="checkbox"/>	eFinder File Field Source	7.x-0.7	File Field Sources eFinder connector Requires: Filefield_sources (missing), eFinder (enabled)		
<input checked="" type="checkbox"/>	jQuery plugins	7.x-1.0	An API and home for miscellaneous jQuery plugins.		
<input checked="" type="checkbox"/>	jQuery Update	7.x-2.2	Updates jQuery to jQuery 1.5.2 and jQuery UI 1.8.11.		Configure
<input checked="" type="checkbox"/>	Lightbox2	7.x-1.0-beta1	Enables Lightbox2 for Drupal	Help Permissions	Configure
<input checked="" type="checkbox"/>	Superfish	7.x-1.8	jQuery Superfish plugin for your Drupal menus. Requires: Menu (enabled), Libraries (enabled)		Configure

UUID

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	Universally Unique ID	7.x-1.0-alpha3	Extends the entity functionality and adds support for universally unique identifiers. Required by: Node export features (disabled), Node export relation (disabled), UUID Services (disabled), UUID Services Example (disabled)	

Views

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Better Exposed Filters	7.x-3.0-beta1	Allow the use of checkboxes or radio buttons for exposed Views filters Requires: Views (enabled), Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Views	7.x-3.3	Create customized lists and queries from your database. Requires: Chaos tools (enabled) Required by: Administration views (disabled), Better Exposed Filters (enabled), Features Tests (disabled), Search views (disabled), Views content panes (enabled), Views Nivo Slider (enabled), Views PHP (enabled), Views UI (enabled)	Permissions
<input checked="" type="checkbox"/>	Views Nivo Slider	7.x-2.x-dev	Display a view with Nivo Slider Requires: Views (enabled), Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Views PHP	7.x-1.x-dev	Allows the usage of PHP to construct a view. Requires: Views (enabled), Chaos tools (enabled)	
<input checked="" type="checkbox"/>	Views UI	7.x-3.3	Administrative interface to views. Without this module, you cannot create or edit your views. Requires: Views (enabled), Chaos tools (enabled)	Configure

Webform

Enabled	Name	Version	Description	Operations
<input checked="" type="checkbox"/>	Webform	7.x-3.17	Enables the creation of forms and questionnaires.	Help Permissions Configure

XML sitemap

Enabled	Name	Version	Description	Operations
<input type="checkbox"/>	XML sitemap custom	7.x-2.0-rc1	Adds user configurable links to the sitemap. Requires: XML sitemap (enabled)	
<input checked="" type="checkbox"/>	XML sitemap engines	7.x-2.0-rc1	Submit the sitemap to search engines. Requires: XML sitemap (enabled)	Configure
<input checked="" type="checkbox"/>	XML sitemap internationalization	7.x-2.0-rc1	Enables multilingual XML sitemaps. Requires: XML sitemap (enabled), Internationalization (enabled), Locale (enabled), Variable (enabled)	
<input checked="" type="checkbox"/>	XML sitemap menu	7.x-2.0-rc1	Adds menu item links to the sitemap. Requires: XML sitemap (enabled), Menu (enabled)	
<input checked="" type="checkbox"/>	XML sitemap node	7.x-2.0-rc1	Adds content links to the sitemap. Requires: XML sitemap (enabled)	
<input checked="" type="checkbox"/>	XML sitemap taxonomy	7.x-2.0-rc1	Add taxonomy term links to the sitemap. Requires: XML sitemap (enabled), Taxonomy (enabled), Options (enabled), Field (enabled), Field SQL storage (enabled)	
<input type="checkbox"/>	XML sitemap user	7.x-2.0-rc1	Adds user profile links to the sitemap. Requires: XML sitemap (enabled)	

Save configuration