

Firefox | localhost/events/admin/build/views/edit/EVENT_Data

Meistbesucht | Aktuelle Nachrichten | Aktuelle Debatten | Esco | Aktuelle Debatten | Lesezeichen

- Themes
- Trigger
- URL redirects
- URL aliases
- Website-Einstellungen
- Benutzerverwaltung
- Berichte
- Help
- Abmelden
- E-Postkarte senden

Masquerade

Enter the username to masquerade as.
Quick switches:

- bramburi
- wizard

Events-alle: Filter *Datum: Date (node)* konfigurieren

Filter any Views node date field.

Status: Übersteuerte Werte werden verwendet.

Der Eintrag ist derzeit nicht hervorgehoben. Sollte dieser **hervorgehoben** werden, können Benutzer den Filter ändern.

Operator: Ist weniger als oder gleich
Format: 2012-08-27

Absoluter Wert

Relativer Wert
Relative values will be used if no date is set above. Use 'now' to default to the current date at runtime or add modifiers like 'now +1 day'. The To date default value is used when the operator is set to 'between' or 'not between'. You can use any values PHP's date_create() can understand, like between '12AM today' and '12AM tomorrow'.
If the filter is exposed, these values will be used to set the initial value of the exposed filter. Leave both date and default values blank to start with no value in the exposed filter.

Standardmäßiges Datum:

Standardmäßiges „Bis“-Datum:

Live-Vorschau

Anzeige: Argumente:

Suchen: Groß-/Kleinschreibung